### OREGON COASTAL NONPOINT PROGRAM NOAA/EPA PROPOSED FINDING

### C. ADDITIONAL MANAGEMENT MEASURES - FORESTRY

**PURPOSE OF MANAGEMENT MEASURE:** The purpose of this management measures is to identify additional management measures necessary to achieve and maintain applicable water quality standards and protect designated uses for land uses where the 6217(g) management measures are already being implemented under existing nonpoint source programs but water quality is still impaired due to identified nonpoint sources.

**CONDITION FROM JANUARY 1998 FINDINGS:** Within two years, Oregon will identify and begin applying additional management measures where water quality impairments and degradation of beneficial uses attributable to forestry exist despite implementation of the 6217(g) measures. (1998 Findings, Section X.)

### PROPOSED FINDING:

# Ex. 5 - Deliberative

### **RATIONALE:**

The federal agencies' January 13, 1998, conditional approval findings noted that Oregon had published forest practices rules that require buffer zones for most pesticide applications (OAR 629-620-0400(7)(b)). However, these rule changes did not address aerial application of herbicides on non-fish bearing streams. Aerial application of herbicides, such as glyphosate, 2,4-D, atrazine, and others, is a common practice in the forestry industry. Herbicides are sprayed to control weeds on recently harvested parcels to prevent competition with newly planted tree saplings. In the coastal nonpoint management area, non-fish bearing streams comprise 60-70% of the total stream length. Oregon does not require riparian buffers for forest harvests on non-fish bearing streams. Therefore, trees can be harvested up to the stream banks along non-fish bearing streams. Herbicides applied aerially can be delivered directly into these streams which then enter fish-bearing streams or drinking water supplies, impacting designated uses such as drinking water and salmon habitat, including habitat for endangered and threatened coastal coho and other salmonids.

Since its 1998 conditional approval findings, Oregon has provided several documents describing the programs it relies on to manage pesticides, most recently in March 2014. In addition to the

FPA rule buffers noted above, the state also addresses pesticide issues through the Chemical and Other Petroleum Product Rules (OAR 629-620-0000 through 800), Pesticide Control Law (ORS 634), best management practices set by the ODA, and federal pesticide label requirements under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as well as its voluntary Water Quality Pesticide Management Plan and the state's Pesticide Stewardship Partnership. In its March 2014 submittal, Oregon noted that it specifically relies on best management practices set by ODA and EPA under FIFRA for the protection of small non-fish bearing streams. However, except for a few limited cases where court-ordered buffers are still in place, the national FIFRA label requirements and ODA's best management practices do not speak directly to buffer requirements for the aerial application of herbicides along non-fish bearing streams. Ex. 5 - Deliberative

# Ex. 5 - Deliberative

# Ex. 5 - Deliberative

Ex. 5 - Deliberative However, in Oregon, aerial application often occurs 70 to 80 feet above the ground over forestland and steep terrain, enabling the chemicals to more readily drift into adjacent waterways.

Ex. 5 - Deliberative

### Ex. 5 - Deliberative

There have been no peer-reviewed studies to date that evaluate the extent and effects of aerial application of herbicides on non-fish bearing streams in the coastal nonpoint management area. Compared to neighboring coastal states and jurisdictions, Oregon has the smallest forestry-specific water resource buffers for herbicides. For smaller non-fish bearing streams, Washington maintains a 50-foot buffer (http://www.dnr.wa.gov/Publications/fp\_rules\_ch222-38wac.pdf). Bureau of Land Management (BLM) lands in Oregon require that "no herbicide treatments should occur within 100 feet of a well or 200 feet of a spring or known diversion used as a domestic water source unless a written waiver is granted by the user of owner" (http://www.blm.gov/or/plans/vegtreatmentseis/files/Veg\_Treatments\_ROD\_Oct2010.pdf). For drift control, Oregon has guidance for considering temperature, relative humidity, wind speed and direction for drift control. However, Washington, California, and BLM have prescriptive technology and weather-related best management practices to address drift control (Peterson, 2011).

<sup>&</sup>lt;sup>1</sup> EPA Office of Pesticide Programs, Environmental Fate and Effects Division, December 10-11, 1997 Science Advisory Panel. Annual Spray Drift Review

- JW agreed deleted if gon needs is added leted it bitting any herbicides from entering into streams. ial application of herbicAs the result of several pesticide-related lawsuits regarding how federal agencies evaluate the impacts of pesticides on ESA-listed species and establish label requirements, EPA, the National Marine Fisheries Service, the U.S. Fish and Wildlife Service, and the U.S. Department of Agriculture requested the National Academies of Science to review existing methods for assessing pesticide risk to listed species and to recommend improvements to the risk assessment process. The federal agencies have agreed to work jointly to implement the study's recommendations, which were released April 30, 2013, in a phased, iterative approach

over the next 15 years. Ex. 5 - Deliberative

Ex. 5 - Deliberative

Ex. 5 - Deliberative

Ex. 5 - Deliberative

In addition to its reliance on federal label requirements, Oregon has taken independent steps to further address pesticide water quality issues. In 2007, key state agencies, including ODA, ODF, ODEQ, and the Oregon Health Authority, worked together to develop an interagency Water Quality Pesticide Management Plan to guide State-wide and watershed-level actions to protect surface and groundwater from potential impacts of pesticides, including herbicides. The plan, approved by EPA Region 10 in 2011, focuses on using water quality monitoring data as the driver for adaptive management actions. The plan describes a continuum of management responses, ranging from voluntary to regulatory actions the state could take to address pesticide issues. If water quality concerns cannot be addressed through the collaborative, interagency-effort, regulatory actions are taken using existing agency authorities.

As outlined in the plan, the State's Pesticide Stewardship Partnership (PSP) Program is the primary mechanism for addressing pesticide water quality issues at the watershed level. Through the partnership, the ODEQ works with State and local partners to collect and analyze water samples and use the data to focus technical assistance and best management practices on streams and pesticides that pose a potential aquatic life or human health impact.

NOAA and EPA acknowledge the progress Oregon has made in its establishment of a multiagency management team, development of its Water Quality Pesticide Management Plan, and implementation of its PSP Program. However, the federal agencies note that water quality monitoring data on pesticides is still limited in the State, and that Oregon has only established eight PSP monitoring areas in seven watersheds, none of which are within the coastal nonpoint management area. While NOAA and EPA recognize that the PSP program is expanding into two new watersheds, the agencies believe that, if monitoring data are to drive adaptive management, the State should develop and maintain more robust and targeted studies of the effectiveness of its pesticide monitoring and best management practices within the coastal nonpoint management area. The federal agencies encourage the State to design its monitoring program in consultation with EPA and NMFS so that it generates data that are also useful for EPA pesticide registration reviews and NMFS biological opinions that assess the impact of EPA label requirements on listed species.

# Ex. 5 - Deliberative

- Outreach to aerial applicators of herbicides that focuses on minimizing aerial drift on Type N (non-fish bearing) streams and surrounding communities;
  - Application of pesticides as close to the crop canopy and at the slowest air speed that is safe for flight;
  - o Applications when wind speed is between 1-10 mph;
  - o Applications when wind is blowing away from sensitive sites or structures;
  - o Calibration of nozzles and repair of leaks;
  - o Correct nozzle selection, angle of release and placement on wingspan;
  - o Use of largest droplet size possible to ensure crop coverage;
  - Use of drift reducing adjuvants;
  - o Use of spray shields;
  - Evaluation of local meteorological conditions to evaluate most appropriate times of year, time of day or windows when weather patterns are conducive to effective aerial applications;
- Monitoring non-fish bearing streams in the coastal nonpoint management area for herbicides pre- and post-application and coordinated with the federal agencies to determine appropriate location, frequency, and parameters;
- O Direct compliance monitoring efforts towards aerial application of herbicides in forestry;
- o Better mapping of Type N streams and other sensitive sites and structures;
- Better use of maps and GPS to automatically shut off nozzles when crossing Type N streams.

### OREGON COASTAL NONPOINT PROGRAM NOAA/EPA PROPOSED FINDING

#### C. ADDITIONAL MANAGEMENT MEASURES - FORESTRY

PURPOSE OF MANAGEMENT MEASURE: The purpose of this management measures is to identify additional management measures necessary to achieve and maintain applicable water quality standards and protect designated uses for land uses where the 6217(g) management measures are already being implemented under existing nonpoint source programs but water quality is still impaired due to identified nonpoint sources.

CONDITION FROM JANUARY 1998 FINDINGS: Within two years, Oregon will finalize its proposal to inspect operating OSDS, as proposed on page 143 of its program submittal. (1998 Findings, Section IV.C). Within two years, Oregon will identify and begin applying additional management measures where water quality impairments and degaradation of beneficial uses attributable to forestry exist despite implementation of the 6217(g) measures. (1998 Findings, Section X.)

### PROPOSED FINDING:

## Ex. 5 - Deliberative

### **RATIONALE:**

that focuses oning

If briefing doc, you don't need to include all the specific rationale info. Just the pro/cons for the different options and a brief background on the issue - JW- this is the rationale document. Comment [CG2]: Where is our evidence that

intended to be the rationale or the briefing document

Comment [AC1]: General comment: Is this

water quality is still impaired? It is not crystal clear in the discussion. -- -JWI took this language from the December 2013 language, but looking at the original 1998 rationale, the reasoning is more complex. It speaks to fixing and maintaining water quality standards and identifies these specific areas as gaps that need to be addressed in order to protect aquatic species identified in the Coastal Salmon Restoration Plan which was intended to ID improvements to state programs to avoid listing coastal coho.

Formatted: Font: 12 pt

Comment [CJ3]: Please add the correct information. Done - JW.

Comment [AC4]: Need to remember that the condition is broader than just the pesticides issue. We're already disapproving them on this condition for other reasons. The question is: do we want to use pesticides as a basis for that disapproval?

Formatted: Font: Bold, Font color: Black

Formatted: Font color: Black

Formatted: Font: Bold

Comment [CJ5]: Does EPA and NOAA need to work through these issues before we can even consider removing our disapproval or can we remove our disapproval if Oregon adopts our recommendations even if these issues have not been worked out? - JW - If we disapprove, we have specific suggestion for Oregon not related to

### Comment [JW6]:

Comment [AC7]: That's presumptive - JW -

Comment [CJ8]: Not sure what this "target"

Comment [AC91: I don't think we can "punt" on this element of OR's program for 15 yrs. Eith ... [3]

Formatted: Font color: Black

Formatted: Font: 12 pt, Font color: Black

Formatted: Font color: Black

Formatted: Font: 12 pt, Font color: Black

Comment [AC10]: I don't think our option statement needs to include this. Options shoul ... [4]

Formatted: Font: 12 pt, Font color: Black

**Formatted** 

Formatted: Bullets and Numbering

ED 454-000335255 EPA-6822 021322

pre- and post-aerial application of herbicides in non-fish bearing streams

Buffers for Herbicide Application on Type N Streams

The federal agencies' January 13, 1998, conditional approval findings noted that Oregon had published forest practices rules that require buffer zones for most pesticide applications (OAR 629-620-0400(7)(b)). However, these rule changes did not address aerial application of herbicides on non-fish bearing streams. Aerial application of herbicides, such as glyphosate, 2,4-D, atrazine, and others, is a common practice in the forestry industry. Herbicides are sprayed to control weeds on recently harvested parcels to prevent competition with newly planted tree saplings. In the coastal zone nonpoint management area, however, -nNon-fish bearing streams comprise 60-70% of the total stream length within the coastal nonpoint management area. These streams flow directly to fish-bearing streams and/or drinking water supply areas. In addition, Oregon does not there are no required riparian buffers for forest harvests on non-fish bearing streams. Therefore, , so in some areas, trees can be harvested up to the stream banks along nonfish bearing streams., and hHerbicides applied aeriallyk. As a result, aerial application of herbicides on non-fish bearing streams can be delivered directly into these streams which ean then be transported downstream toenter fish-bearing streams or drinking water supplies, impacting designated uses such as drinking water and salmon habitat, including habitat forwhere aquatic life can be harmed. Oregon's coastal zone management area is home to endangered and threatened coastal coho and other salmonidsas well as many other salmonid and fish species,

Aerial application of herbicides, such as glyphosate, 2,4-D, atrazine and others, is a common practice in the forestry industry. Herbicides are sprayed to control weeds on recently harvested parcels to prevent competition with newly planted tree saplings.

: On December 20, 2013, EPA and NOAA invited public comment on the State's approach to buffers for aerial application of herbicides on Type N (non-fish bearing) streams. In the December 20, 2013 proposed action, the agencies noted Oregon had published forest practice rules that required buffer zones for most pesticide applications. The rules did not, however, contain restrictions for aerial application of herbicides on Type N streams, which the 1998 conditional approval findings and 2004 interim decision document and 2004 findings noted could leave those streams at risk. Type N streams comprise a significant portion of stream length in

**Comment [CG11]:** More specific? Need to add what will better mapping accomplish

Comment [AC12]: As I noted in my revised draft, these voluntary approaches would only be approvable if OR meets the "3-prong" test for voluntary programs. See suggested language that needs to be included to acknowledge those items are also needed before we can approve.

**Comment [AC13]:** As I noted in my revised draft, these voluntary approaches would only be approvable if OR meets the "3-prong" test for voluntary programs. See suggested language that needs to be included to acknowledge those items are also needed before we can approve.

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Bullets and Numbering

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Bullets and Numbering

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Bullets and Numbering

Formatted: Font: Not Bold

**Comment [AC14]:** Not sure these statements are needed at this place in the rationale. Too dupl[... [6]

Comment [CG15]: I agree with Allison

**Comment [AC16]:** Is this correct. Is it used for other purposes too? - JW - this is what I under ... [7]

**Comment [AC17]:** Remember to always refer to it as the coastal NONPOINT management are ... [8]

Comment [AC18]: More specific? - JW added

**Comment [AC19]:** Do we have better stats on percentage?? - *JW added* 

Comment [AC20]: I'm assuming some Type N streams flow into other Type Ns so I don't thi ... [9]

**Comment [AC21]:** For flow purposes, I like original language better here.

**Comment [AC22]:** I'm assuming even non-fish streams have "aquatic life"...just not in the [... [10]

Formatted: Font: 12 pt, Italic

**Comment [AC23]:** Is this correct. Is it used for other purposes too? - JW - this is what I und ... [11]

**Comment [AC24]:** I think it may be getting too in the weeds and confusing to introduce the [... [12]

2

ED 454-000335255 EPA-6822 021323

the coastal zone. Note that the term "pesticides" refers to insecticides, herbicides, fungicides, and various other substances used to control pests (U.S. EPA website). —JW agreed deleted ifgon needsils added leted it ibiting any herbicides from entering into streams. ial application of herbic

Since its 1998 conditional approval findings, Oregon has provided several documents describing the programs it relies on to manage pesticides, most recently in March 2014. In addition to the FPA rule buffers noted above, the state also addresses pesticide issues through the Chemical and Other Petroleum Product Rules (OAR 629-620-0000 through 800), Pesticide Control Law (ORS 634), best management practices set by the ODA, and federal pesticide label requirements under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as well as its voluntary Water Quality Pesticide Management Plan and the state's Pesticide Stewardship Partnership. In its March 2014 submittal, Oregon noted that it specifically relies on best management practices set by ODA and EPA under FIFRA for the protection of small non-fish bearing streams. However, except for a few limited cases where court-ordered buffers are still in place, the national FIFRA label requirements and ODA's best management practices do not speak directly to buffer requirements for the aerial application of herbicides along non-fish bearing streams.

### Ex. 5 - Deliberative

Unique Conditions in Oregon

## Ex. 5 - Deliberative

**Ex. 5 - Deliberative**(EPA, 1997)2. However, in Oregon, because the trees are tall, aerial application often occurs 70 to 80 feet above the ground over forestland and steep terrain, enabling the chemicals to more readily drift into adjacent waterways.

(Ex. 5 - Deliberative)

### Ex. 5 - Deliberative

### nonpoint management

There have been no peer-reviewed studies to date that evaluate the extent and effects of aerial application of herbicides on non-fish bearing streams in the coastal nonpoint management area.

**Comment [AC25]:** I don't think we need to rehash what we said on Dec. 20<sup>th</sup>. Just start with what we said in the Dec. 20<sup>th</sup> rationale and update that as needed. - JW - agreed

Comment [AC26]: I think the sci you present later on would be more impactful if it comes up front right after you introduce the condition and what OR has or doesn't have in place. Therefore, there is no questioning why OR needs to provide better protection of non-fish streams for airial spraying of herbicides. See potential edits in other version. - JW - moved up, but consolidated study results. Could put detail back into rationale if you think it's better to be more detailed with the findings.

### Ex. 5 - Deliberative

**Comment [AC28]:** I don't think we need to cite this. This is the finding of our group (assum) [14]

**Comment [AC29]:** Don't use subheadings. This rationale will be part of a larger rationale for ... [15]

Formatted: Font: Italic

**Comment [CG30]:** The term pesticide is an umbrella term that includes herbicides, inseq ... [16]

**Comment [AC31]:** And how high is this? For claritity, would be helpful to use the same re ... [17]

**Comment [AC32]:** If you're using a footnote, do not need to include author/yr in text. That is  $[ \dots [18] ]$ 

Formatted: Superscript

**Comment [AC33]:** Of what? Be specific of the types of herbicides

Comment [CG34]: Detections of herbicides?

**Comment [AC35]:** Use footnotes to include full citations like above.

**Comment [AC36]:** As stated, this isn't a strong argument for us. This is the point the industred ... [19]

**Comment [AC37]:** Use correct citation format as above.

**Comment [AC38]:** I don't understand the point you're trying to make here. If labels restrict ... [20]

**Comment [CG39]:** I agree. Instead of this sentence, should we ask Oregon to map type ... [21]

Comment [WJ40]:

**Comment [JW41]:** Removed section on studies since none of them address aerial application ... [22]

Formatted: Superscript

Formatted: Superscript

<sup>&</sup>lt;sup>1</sup> EPA Office of Pesticide Programs, Environmental Fate and Effects Division, December 10-11, 1997 Science Advisory Panel. Annual Spray Drift Review,

<sup>2</sup> EPA Office of Pesticide Programs, Environmental Fate and Effects Division, December 10-11, 1997 Science Advisory Panel. Annual Spray Drift Review.

Compared to neighboring coastal states and jurisdictions, Oregon has the smallest forestry-specific water resource buffers for herbicides. For smaller non-fish bearing streams, Washington maintains a 50-foot buffer (http://www.dnr.wa.gov/Publications/fp\_rules\_ch222-38wac.pdf).—Bureau of Land Management (BLM) lands in Oregon require that "no herbicide treatments should occur within 100 feet of a well or 200 feet of a spring or known diversion used as a domestic water source unless a written waiver is granted by the user of owner" (http://www.blm.gov/or/plans/vegtreatmentseis/files/Veg\_Treatments\_ROD\_Oct2010.pdf). For drift control, Oregon has guidance for considering temperature, relative humidity, wind speed and direction for drift control. However, Washington, California, and BLM have prescriptive technology and weather-related best management practices to address drift control (Peterson, 2011).

FIFRA Labels Oregon's response noted several regulations the State uses to manage its pesticides program. Specific to small, non-fish bearing streams, Oregon's coastal nonpoint program relies on the Chemical and Other Petroleum Product Rules (OAR 629-620-0000 through 800), Pesticide Control Law (ORS 634), best management practices set by the ODA, and pesticide label requirements under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). For fungicides and nonbiological insecticides, Oregon requires that no spraying occur within 60 feet of a stream with flowing water at the time of application (OAR 629-620-0400(7)(b)). As noted above, however, the State does not have a buffer zone for aerial applications of herbicides? - JW agreed deleted ifgon needsils added leted it biting any herbicides from entering into streams. ial application of herbicides on non-fish bearing streams.

The Agencies received thirty-five comments related to the State's pesticide programs. Several-commenters expressed concern on health effects to people and aquatic life from aerial drift of herbicides and the presence of herbicides in blood and urine samples. Others noted that better notification before pesticide application, access to pesticide records, monitoring, and larger-buffers were needed. Commenters also supported the State's program stating that the labeling requirements under FIFRA and best management practices required when applying pesticides were adequate to protect people and aquatic species. Many commenters described studies of pesticide water quality data in the State, all noting that pesticide levels were detected. Some-commenters concluded from these studies that pesticide levels were below thresholds of concern, while others concluded that the presence of pesticides showed that State regulations were insufficient to manage pesticides.

Because the State relies in large part on FIFRA labeling requirements for requirements on aerial application of herbicides <u>around non-fish bearing streams</u>, the following is a brief description of the program. EPA's Pesticide Program performs a comprehensive risk assessment that evaluates risk to workers, homeowners; dietary risk; and drinking water risk; and hon-target ecological risk. The pesticide risk assessment and registration process result in labeling requirements that vary. Examples of FIFRA label requirements on herbicide application range from prohibitions on aerial application to suggestions on how and where the application occurs (US Environmental Protection Agency, 2012) (U.S. Environmental Protection Agency, 1993).

Comment [AC42]: Is this statement true for all neighboring states, including Idaho? If not, need to be specific on the state's you're referring to. - Yes, it does. But I didn't include it since it's not a coastal state. I can just add on coastal state. CA was also included.

**Comment [AC43]:** We know this and will discuss it in the riparian section that comes before, but what about buffers for aerial application of hercides for type N streams? That is the question for this element. JW - clarified this refers to herbicides.

Comment [AC44]: Don't include link in text. Use footnote citation and include full citation. Do not rely only on link to pdf which can break. -JW-I'll clean up the citations once the text is done. I have these as a placeholder, so I know where to get the references. I'll use the reference guide from above.

**Formatted:** Font: Times New Roman, No underline, Font color: Black

**Comment [AC45]:** See comment above about how to reference. - *JW-noted*.

Comment [AC46]: Use footnote citation. - JW noted

Comment [CJ47]: Spell out. - JW - section deleted

Comment [AC48]: I'm guessing we will have likely have introduced ODA earlier in the decision rationale so it will be fine to abv here but when we put everything together we can make the final call of where we need to spell things out first and when its ok to use the acronym. - JW agreed

Comment [CJ49]: Is this true for all pesticides (insecticides, herbicides, fungicides, and various other substances used to control pests) or just herbicides?

**Comment [JW50]:** Corrected - should be herbicides.

**Comment [CJ51]:** Do we want to include a summary of comments received in the rationales or just in the response to comments (and issue paper where appropriate) document? I recall a comment suggesting deleting this kind of information in another rationale. - JW - deleted and will put this into response to comments

Comment [AC52]: Agree. No need to repeat ourselves in two different documents. The Response to Comments will discuss all the comments [... [23]

**Comment [CJ53]:** What does this mean? I understand ecological risk but not sure what "nontarget" means in this context. - JW section removed

Comment [CJ54]: Both or which citation? -JW section removed

Comment [AC55]: I assume your citations are only temp. place holders and you plan to provide full citations later? To be consistent with how w ... [24]

### Ex. 5 - Deliberative

Ex. 5 - Deliberative

In

eoastal, forested areas in Oregon where herbicides are aerially applied in non-fish bearing streams, aerial application are approximately 70 to 80 feet above the erop canopy (citation).

As the result of several pesticide-related lawsuits regarding how federal agencies evaluate the impacts of pesticides on ESA-listed species and establish label requirements, EPA, the National Marine Fisheries Service, the U.S. Fish and Wildlife Service, and the U.S. Department of Agriculture requested the National Academies of Science to review existing methods for assessing pesticide risk to listed species and to recommend improvements to the risk assessment process.

| Ex. 5 - Deliberative |

### Ex. 5 - Deliberative

Ex. 5 - Deliberative ESA, (BEST), (DELS), & Council, 2013)

In addition to its reliance on federal label requirements, Oregon has taken independent steps to further address pesticide water quality issues. In 2007, key state agencies, including ODA, ODF, ODEQ, and the Oregon Health Authority, worked together to develop an interagency Water Quality Pesticide Management Plan to guide State-wide and watershed-level actions to protect surface and groundwater from potential impacts of pesticides, including herbicides. The plan, approved by EPA Region 10 in 2011, focuses on using water quality monitoring data as the driver for adaptive management actions. The plan describes a continuum of management responses, ranging from voluntary to regulatory actions the state could take to address pesticide issues. If water quality concerns cannot be addressed through the collaborative, interagency-effort, regulatory actions are taken using existing agency authorities.

As outlined in the plan, the State's Pesticide Stewardship Partnership (PSP) Program is the primary mechanism for addressing pesticide water quality issues at the watershed level. Through the partnership, the ODEQ works with State and local partners to collect and analyze water samples and use the data to focus technical assistance and best management practices on streams and pesticides that pose a potential aquatic life or human health impact.

NOAA and EPA acknowledge the progress Oregon has made in its establishment of a multiagency management team, development of its Water Quality Pesticide Management Plan, and implementation of its PSP Program. However, the federal agencies note that water quality monitoring data on pesticides is still limited in the State, and that Oregon has only established eight PSP monitoring areas in seven watersheds, none of which are within the coastal nonpoint management area. While NOAA and EPA recognize that the PSP program is expanding into two new watersheds, the agencies believe that, if monitoring data are to drive adaptive management, the State should develop and maintain more robust and targeted studies of the effectiveness of its

**Comment [CJ56]:** Explain why this is a problem in terms of water quality impacts etc.. - *JW section removed* 

Comment [AC57]: Agree with Jayne's comment above. What does this mean to exposure to pesticides/herbicides or how easily they get into water? Make sure the connection between the science results you present and the points we want to support in our rationale is explicit. -JW section removed

Comment [AC58]: Use footnote citation. - JW

5

pesticide monitoring and best management practices within the coastal nonpoint management area. The federal agencies encourage the State to design its monitoring program in consultation with EPA and NMFS so that it generates data that are also useful for EPA pesticide registration reviews and NMFS biological opinions that assess the impact of EPA label requirements on listed species.

Ex. 5 - Deliberative

Ex. 5 - Deliberative However, in response to several pesticide-related lawsuits related to the adequacy of federal agencies in evaluating the impacts of pesticides on ESA-listed species, EPA, NOAA's National Marine Fisheries Service (NMFS), the, United States Fish and Wildlife Service (USFWS), and the United States Department of Agriculture (USDA) requested the National of Academy of Sciences (NAS) review existing methods for assessing risks of pesticides to listed species and recommend improvements. On April 30, 2013, the NAS released their report,

[Ex. 5 - Deliberative]

### Ex. 5 - Deliberative

Ex. 5 - Deliberative

(ESA, (BEST), (DELS), & Council, 2013).

Specific to ESA related litigation filed in 2001, the Washington Toxics Coalition sued EPA for failing to consult with NOAA's National Marine Fisheries Sired EPA to initiate consultation with NMFS. EPA has since initiated consultation with NMFS on 37 pesticide active ingredients. NMFS has issued six final biological opinions (BiOps) for 29 active ingredients as well as a draft of the seventh BiOp for three remaining additional active ingredients. NMFS has not yet, however, issued BiOps for the five remaining active ingredients nor the seventh BiOp. In the BiOps that have been issued, NMFS concluded that some herbicides are likely to jeopardize some listed species. For these herbicides, NMFS included reasonable and prudent alternatives, such as including buffers around water bodies (f(Fish and non-fish bearing) during aerial? application. But some of the RPAs are restrictive for agricultural applicators and EPA and agricultural interests have explored alternative mitigation approaches that would provide protection to ESA species but would not be so restrictive on agricultural growers.

In summary, there are several ongoing efforts between federal agencies to reevaluate the pesticide risk assessment process!

Ex. 5 - Deliberative

Ex. 5 - Deliberative

Jun some cases, NMFS has already determined jeopardy on the impacts of some herbicides to ESA listed species from herbicides on non-fish bearing streams.

In addition to ongoing work on EPA's pesticide risk assessment, several studies have evaluated studied effects from aerial drift of herbicides from forestry applications. In March 2000, ODF's study on aerial pesticide application monitoring in Oregon coastal areas measured trace levels of less than 1 part per billion (ppb) of herbicides in seven of 25 stream sites adjacent to post-spray applications (Dent & Robben, 2000). These levels were well below thresholds of concernestablished in the study for people, fish, and invertebrates. However, the study also noted that its

Comment [CJ59]: May want to apply directly to Oregon's coasts and note whether there are ESA listed species located on Oregon's coast and that could be impacted by herbicide applications -JW included in first paragraph

Formatted: Font: (Default) Times New Roman

Comment [CJ60]: Confusing citation - JW - will clean up citation; used Word function to input entire citation, but this is what they came up with. Will edit later.

**Comment [CJ61]:** Are any of these active ingredients for herbicides? - *JW*, *yes*.

**Comment [AC62]:** Acknowledge that original court-ordered buffers are still in place for these. - *JW section deleted* 

Comment [AC63]: Specify which ones or at least examples of the more prevalent ones? - JW section deleted, but if we decide we want to bring the section back, I can do that.

**Comment [AC64]:** For both fish and non-fish bearing streams that directly flow into fish-bearing streams, correct? - *JW section deleted* 

**Comment [CJ65]:** Can you include a sentence that describes the relevance of these findings to the basis for our disapproval or how these informs our decision? - JW section deleted

Comment [C366]: At the end of your descriptions of these studies, can you explain the relevance of these studies to our disapproval decision or how these studies are being used to inform our decision? JW section deleted

Comment [CJ67]: Spell out JW section deleted

Comment [AC68]: Was it a specific herbicide or did they measure several different kinds? Even so, it would be handy to note which ones since toxicity varies based on the type of herbicide so helps put the 1ppb into context. JW section deleted

**Formatted:** Font: Times New Roman, No underline, Font color: Black

ED 454-000335255 EPA-6822 021327

focus was on water quality protection of streams with riparian buffer requirements, such as fish-bearing and domestic use streams, and did not address small non-fish bearing streams that do not have overstory riparian buffer requirements. In Oregon also described a USGS study in the McKenzie River of the Clackamas Basin, outside the coastal zone management area. Of 175 compounds, 43 out of 175 compounds were detected at least once across 28 sites. The study focused on urban, forestry, and agricultural land uses. Nine pesticides were detected out of 14 samples from the drinking water facility's intake from 2002 to 2010. However, concentrations were low, less than 1 part per billion, and the largest number of pesticide detections were associated with urban stormwater (Kelly et al. 2012).

EPA evaluated non-fish bearing streams in the Highway 36 area in the midcoast of Oregon to look at the potential of herbicide transport downstream to fish-bearing streams. (Peter L and Alan – talk with Friday.)

It is also important to note an ongoing Exposure Investigation (EI) for the Highway 36 Corridor in the mid-coast region of Oregon in the Coastal Zone Management Area (Oregon Health-Authority, Draft Final, 2014). EPA and NOAA received several comments related to aerial application of herbicides in the Highway 36 Corridor. Conclusions from the ongoing Exposure Investigation (EI) for the Highway 36 Corridor in the mid-coast region of Oregon in the Coastal Zone Management AreaConclusions from the EI show that residents were exposures resulted from the aerial application of pesticides or from another source. Low levels of herbicides applied during aerial applications were found in 10 soil samples, but no herbicides were found in drinking water samples. EPA will be conducting air monitoring to determine the public health significance from aerial application of herbicides in the Highway 36 Corridor. (Oregon Health Authority, Draft Final, 2014).

## Ex. 5 - Deliberative

- Outreach to aerial applicators of herbicides that focuses on minimizing aerial drift on Type N (non-fish bearing) streams and surrounding communities;
  - Application of pesticides as close to the crop canopy and at the slowest air speed that is safe for flight;
  - Applications when wind speed is between 1-10 mph;
  - o Applications when wind is blowing away from sensitive sites or structures;
  - Calibration of nozzles and repair of leaks;
  - Correct nozzle selection, angle of release and placement on wingspan;
  - Use of largest droplet size possible to ensure crop coverage;

Comment [AC69]: So what does this mean for the points we are trying to support in our rationale?? Be explicit about the connection to water quality, etc. Does it indicate that observed pesticide levels in these streams may be even greater after a spray event and exceed toxic thresholds? JW section deleted. The last question is correct. Some commenters wanting disappoval of the program (and some other EPA ORD scientists) have noted that it's difficult to measure herbicides, and the study design may have been designed to answer a different question than what we're looking at. All in all, though, none of these studies are specific to our question, so I took out the text.

Comment [AC70]: It's not clear to me how this study helps the points we want to make in our rationale....urban stormwater runoff is a bigger culprit of pesticides than forestry? Not sure that helps us? Either make the connection more explicit to the points we want to make or consider taking out.

-JW section deleted.

Comment [AC71]: Is this Triangle Lake area or somewhere else? If Triangle, make be good to note that for those of us that may be less familiar with the Hwy 36 reference. But perhaps for Oregonians, this is all very clear? JW - took out section as suggested by Linda and Gabriela. We'll stick to the main points in the rationale focusing on type N streams not human health exposure, but can address these in the response to comments.

Comment [AC72]: Again, what do these results mean for the points we want to make in our rationale—that aerial spraying for herbicides under current no-buffer restrictions is bad for water quality/designated uses and OR needs better protections? \*\*JW-\*section deleted\*\*

Comment [AC73]: As noted above, there could be an option C too. - JW, as explained earlier, I think it would be hard for us to say that this program is approvable given our past determinations. Nothing has changed.

Formatted: Bullets and Numbering

Comment [AC74]: What about specific guidance on what an acceptable buffer would be for arial application around type N streams? If we're going to accept a voluntary approach, they need to have some voluntary guidance that asserts what better protection of non-fish streams would be since that is the heart of our issue spelled out in the 1998 conditional approval doc. If the voluntary program doesn't recommend a buffer width, I think it could be difficult for us to approve based on the record out there. - I can add this back in. [Ex.5 - Deliberative]

Ex.5 - Deliberative

But we

can leave it up to Oregon. I like having both buffers or a combination of other state activities that they could implement to have an approvable program.

/

- Use of drift reducing adjuvants;
- Use of spray shields;
- Evaluation of local meteorological conditions to evaluate most appropriate times of year, time of day or windows when weather patterns are conducive to effective aerial applications;
- Monitoring non-fish bearing streams in the coastal nonpoint management area for herbicides pre- and post-application and coordinated with the federal agencies to determine appropriate location, frequency, and parameters;
- o Direct compliance monitoring efforts towards aerial application of herbicides in forestry;
- o Better mapping of Type N streams and other sensitive sites and structures;
- Better use of maps and GPS to automatically shut off nozzles when crossing Type N streams.

At the State level, Oregon has taken independent steps to address pesticide water quality issues. Key State agencies, including ODA, ODF, ODEQ, and the Oregon Health Authority, formed a team in 2007 that developed an interagency Water Quality Pesticide Management Plan to guide State-wide and watershed level actions to protect surface and groundwater from potential impacts of current pesticides. The plan, approved by EPA Region 10 in 2011, focuses on using water monitoring data as the driver for adaptive management actions. The plan includes a continuum of management responses, ranging from voluntary to regulatory actions. Regulatory actions are implemented using existing agency authorities, if the water quality concerns cannot be addressed through the collaborative team effort. The State's Pesticide Stewardship-Partnership (PSP) Program is the primary mechanism for addressing pesticide water quality issues at the watershed level. Through the partnership, the ODEQ works with State and local partners to collect and analyze water samples and use the data to focus technical assistance and best management practices on streams and pesticides that pose a potential aquatic life or human health impact. The federal agencies acknowledge the process compliment Oregon has made for its establishment of a multi-agency management team, development of its Water Quality Pesticide Management Plan, and implementation of its PSP Program. If fully implemented, where needed, across the coastal nonpoint management area, these actions would represent strong management measures for helping the State address key pesticide issues.

EPA's and NOAA's original basis for disapproval was inadequate riparian buffers for aerial application of herbicides on non-fish bearing streams. In addition to non-fish bearing streams comprising a large part of coastal stream length, there are additional opportunities for herbicides to enter streams through runoff since non-fish bearing streams lack buffer requirements. Thus far, limited studies have shown low levels of pesticides below thresholds of concern. However, it is important to note that depending on pesticide label requirements and based on the toxicity of the pesticide, even detectable levels of pesticides may not be in adherence to FIFRA requirements, depending on the level of restrictions on aerial application of the product herbicides.

**Comment [JW75]:** Included the latter at the request of the pesticides team

Comment [AC76]: Since the PSP para. below talks about better monitoring protocols below, to avoid redundancies and jumping back and forth between discussion of OR's programs and what else they could do to get to full approval, recommend moving the discussion of all recommendations to the end.

Also, need to make sure you also include that if OR chooses a voluntary approach, need to meet the 3 — prong test (see lang, from the revised rationale I wrote). In addition, as long as we're providing recommendations, why not also recommend a rule change (it's a viable option for approval). Again, my rationale had some language that we could use for this.

Formatted: Indent: Left: 0.5"

Comment [AC77]: May want to tone down lang. a bit since several commenters took fault at EPA/NOAA for appearing to praise OR so highly for efforts that still need a lot of work and aren't even w'in coastal mps area. -JW noted. I see that you changed "compliment" to "acknowledge" which works. Though we got comments from NWEA and others on this, I understand it really is a successful program for the State as far as voluntary efforts go, and it's a step in the right direction even if there are none in the coastal area. I think it's reasonable with your changed verb.

Formatted: Font: 12 pt

Comment [AC78]: Does that mean if OR fully implements we would approve this element of the add MMs for forestry condition? I know this is carry over lang from the Dec. proposed findings doe but we should be very clear what OR needs to do to get to approval for this issue. If we will accept "fully implementing the PSP, what does that mean? - JW, I see either buffers or conditions described above as being grounds for an approvable program, though the devil's in the details.

Formatted: Font: 12 pt

Comment [AC79]: These points should be made earlier on. Also, I find the sentence: "Thus far, limited studies have shown low levels of pesticides below thresholds of concern" confusing. So are we saying few studies have observed pesticides levels below "safe" levels? Or are we commenting that there isn't a lot of research out there on pesticide levels after spray events? Need to make sure statement is supported with citations. - JW section deleted

Formatted: Font: 12 pt

**Comment [AC80]:** I don't understand this? What are we trying to say here? *JW section deleted* 

Formatted: Font: 12 pt

Aerial drift and their effects on aquatic life and people remain a concern. The federal agencies note that water quality monitoring data on pesticides are still limited in the State and that ODEQ has only established eight PSP areas in seven watersheds, none of which are located within the coastal nonpoint management area. While the federal agencies recognize that the PSP program is expanding into two new watersheds, the agencies believe that, if monitoring data are to drive adaptive management, the State should develop and maintain more robust and targeted studies of the effectiveness of its pesticide monitoring and best management practices. These studies should include several sites within the coastal nonpoint management area. The federal agencies also encourage the State to design its monitoring program in consultation with EPA and NMFS so that it generates data that are also useful for EPA pesticide registration reviews and NOAA BiOps.

Finally, while EPA and NMFS work through a new pesticide registration process and litigation and ultimately to implement sufficient adequate protections of target waterways to protect people and aquatic life, the federal agencies strongly recommend the State of Oregon consider, including the following in the State's next Pesticide Management Plan to reduce and minimize impacts of herbicide exposure from aerial applications to people and aquatic life. These recommendations include:

- State-specific buffers on non-fish bearing streams for aerial application of herbicides and pesticides such as the recommended buffers in the NMFS BiOps;
- Herbicide application guidelines for buffer and drift control such as reduced droplet size, consideration of terrain and weather conditions, better mapping of spray application area;
- Better, more timely, specific, and transparent, Ppublic Public notification processes for all eitizens near spray areas, rather than justof bystanders, homes and businesses in close proximity to aerial applications, beyond community water managers prior to spraying;
- Better record keeping and transparency of public records;
- Increased training and guidance for applicators; and
- Increased effectiveness monitoring of pesticides and best management practices within the coastal nonpoint management area.
  - -Better mapping of N-type streams and other sensitive sites and structures;

State specific aerial application guidelines for drift control of pesticides;

Annual applicator training, guidance and outreach for aerial applicators on how to reduce drift;

The application guidelines and aerial applicator training should address such things as:

Application of pesticides as close to the crop canopy and at the slowest air speed that is safe for flight;

Applications when wind speed is between 1-10 mph;

Applications when wind is blowing away from sensitive sites or structures;

-Calibration of nozzles and repair of leaks;

**Comment [AC81]:** This seems a bit disjointed. Talked about PSP above and a few para below return to it. Would be helpful to talk about all PSP info together. *JW- done* 

Formatted: Font: 12 pt

Comment [CJ82]: Does EPA and NOAA need to work through these issues before we can even consider removing our disapproval or can we remove our disapproval if Oregon adopts our recommendations even if these issues have not been worked out? JW- I think we can still work on somethine.

**Comment [AC83]:** That's presumptive - JW - elaborated on. Had only wanted a placeholder there for either "soft" or "hard" disapproval

**Comment [CJ84]:** Not sure what this "target" means in this context. - *JW section deleted* 

Formatted: Font: 12 pt
Formatted: Font: 12 pt
Formatted: Font: 12 pt

Comment [CJ85]: If Oregon accepts all of our recommendations, will we remove our disapproval? If so, do they need to accept them all or are there key ones that need to be accepted in order to obtain our approval? -JW Clarified later

Formatted: Font: 12 pt

Comment [AC86]: Why limit ourselves to just non-fish bearing here? BiOps have shown that larger buffers are needed elsewhere too. - JW I wanted to stick with our original condition focused on non-fish heaving

Formatted: No bullets or numbering

Formatted: Font: 12 pt

Formatted: Font: Times New Roman, 12 pt

Formatted: Font: (Default) Times New Roman

**Comment [AC87]:** So if OR does this, and meets the other elements of a voluntary program, would we approve this element? Need to be clear on what the bar is and how OR could reach it. Otherwise they have the right to complain that we are continuously moving it on them. -W - added info on the bar.

Formatted: Font: 12 pt

Formatted: No bullets or numbering

\_

Correct nozzle selection, angle of release and placement on wingspan;
Use of largest droplet size possible to ensure crop coverage;
——Use of drift reducing adjuvants;
——Use of spray shields;
Evaluation of local meteorological conditions to evaluate most appropriate times of year,
time of day or windows when weather patterns are conducive to effective aerial applications;
——Use of maps and GPS to automatically shut off nozzles when crossing N-type streams
and other sensitive sites;
Notification of bystanders, homes and businesses in close proximity to aerial
applications.
◆ (Formatted: Indent: Left: 0"

Page 1: [1] Comment [CJ5]

Carlin, Jayne

8/14/2014 11:04:00 PM

## Ex. 5 - Deliberative

Page 1: [2] Comment [CJ8]

Carlin, Jayne

8/14/2014 11:04:00 PM

Not sure what this "target" means in this context. -JW - can't find "target" so I may have deleted it.

Page 1: [3] Comment [AC9]

**Allison Castellan** 

8/15/2014 10:43:00 AM

## Ex. 5 - Deliberative

Page 1: [4] Comment [AC10]

**Allison Castellan** 

8/18/2014 9:06:00 PM

I don't think our option statement needs to include this. Options should be pretty short and sweet of managers can take in the essence quickly. We could reference a separate section of briefing document that lists potential recommended BMPs if we take this approach. - JW - okay. This is the rationale document, so I've taken out until the end.

Page 1: [5] Formatted

Carvalho, Gabriela

8/18/2014 11:18:00 AM

Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.04" + Indent at: 0.29"

Page 2: [6] Comment [AC14]

**Allison Castellan** 

8/18/2014 9:07:00 PM

Not sure these statements are needed at this place in the rationale. Too duplicative of what is said below. - JW - agreed - I removed them

Page 2: [7] Comment [AC16]

Allison Castellan

8/14/2014 11:04:00 PM

Is this correct. Is it used for other purposes too? - JW - this is what I understand. Others can check.

Page 2: [8] Comment [AC17]

**Allison Castellan** 

8/18/2014 9:09:00 PM

Remember to always refer to it as the coastal NONPOINT management area. OR's coastal zone boundary is different and we shouldn't confuse the two. - JW - Will make sure this is consistent in rationale.

Page 2: [9] Comment [AC20]

**Allison Castellan** 

8/15/2014 10:43:00 AM

I'm assuming some Type N streams flow into other Type Ns so I don't think this is a correct statement. Revert back to "most" or "many" the more specific we can be, the better (i.e., do we have a percentage we could use?)

Page 2: [10] Comment [AC22]

Allison Castellan

8/15/2014 10:43:00 AM

I'm assuming even non-fish streams have "aquatic life"...just not in the form of fish.

Page 2: [11] Comment [AC23]

**Allison Castellan** 

8/14/2014 11:04:00 PM

Is this correct. Is it used for other purposes too? - JW - this is what I understand. Others can check.

Page 2: [12] Comment [AC24]

**Allison Castellan** 

8/14/2014 11:04:00 PM

I think it may be getting too in the weeds and confusing to introduce the 2004 interim decision doc to the lay audience who's not familiar with the ins and outs of how we work with states on program devel. See my other version of how this could be revised (basically largely reverts back to original Dec. 20<sup>th</sup> language). *-JW- agreed* 

Page 3: [13] Comment [AC27]

Allison Castellan

8/14/2014 11:04:00 PM

# Ex. 5 - Deliberative

ED\_454-000335255 EPA-6822\_021332

I don't think we need to cite this. This is the finding of our group (assuming we decide that OR isn't approved for this element).

### Page 3: [15] Comment [AC29]

#### **Allison Castellan**

8/18/2014 9:12:00 PM

Don't use subheadings. This rationale will be part of a larger rationale for all add MMs for forestry. Like with the Dec. 20<sup>th</sup> proposed decision doc, the entire pesticides section will be under its own subheading.- *JW* - *okay*. One of the subgroup memebrs suggested this to make the rationale clearer, but maybe in this cleaned up version, the text will read more logically.

### Page 3: [16] Comment [CG30]

### Carvalho, Gabriela

8/18/2014 9:13:00 PM

The term pesticide is an umbrella term that includes herbicides, insecticides, fungicides, rodenticides, etc. - JW, my understanding is that this process holds for pesticides, not just herbicides. But since the action's focus is on herbicides, I'll change this to herbicides.

### Page 3: [17] Comment [AC31]

#### Allison Castellan

8/15/2014 10:43:00 AM

And how high is this? For claritity, would be helpful to use the same reference point for each...X feet above the ground would make most sense.

### Page 3: [18] Comment [AC32]

#### **Allison Castellan**

8/15/2014 10:43:00 AM

If you're using a footnote, do not need to include author/yr in text. That is only if using "lit cited" at the end.

Page 3: [19] Comment [AC36]

Allison Castellan

8/15/2014 10:42:00 AM

# Ex. 5 - Deliberative

### Page 3: [20] Comment [AC38]

### Allison Castellan

8/15/2014 10:42:00 AM

I don't understand the point you're trying to make here. If labels restrict pesticides from entering the water than I would think that would mean they couldn't spray above type N streams. Then the issue is really an enforcement issue (are they following the label requirements) rather than do they have process in place to provide protections? Lack of enforcement and poor implementation is not something we consider for CZARA approval...only if they have the processes in place. Therefore, this argument is not help to our rationale and I would remove.

### Page 3: [21] Comment [CG39]

### Carvalho, Gabriela

8/18/2014 12:16:00 PM

I agree. Instead of this sentence, should we ask Oregon to map type N streams and monitor before and after an aerial application?

The text would say something like:

### Page 3: [22] Comment [JW41]

Jenny Wu

8/18/2014 9:23:00 PM

Removed section on studies since none of them address aerial application of herbicides on non-fish bearing streams. The State and others cite these studies as proof supporting the position of both sides (approval or disapproval), because there is limited pesticides data. However, none of them actually attempt to study aerial application of herbicides on Type N streams in the coastal nonpoint management area. So I took out the whole absence/presence/threshold of concern issues.

### Page 4: [23] Comment [AC52]

**Allison Castellan** 

8/18/2014 9:28:00 PM

Agree. No need to repeat ourselves in two different documents. The Response to Comments will discuss all the comments received. The decision doc should only provide the rationale for our decision. *JW - agreed* 

### Page 4: [24] Comment [AC55]

**Allison Castellan** 

8/18/2014 9:29:00 PM

I assume your citations are only temp. place holders and you plan to provide full citations later? To be consistent with how we cited sources in our proposed decision, we should use footnote citations that include full citation for each source. - JW - yes, agreed. They're just placeholders for now. Will make consistent once we agree on the text.